


- BINNEN BLADEN  
 GEVEELS d=150  
 I.V.M. HOOGTE.
- WANDEN GESTEUND  
 DOOR DE ZOLDER-  
 VLOER d=120
- PBV: VERBO PRAKTISCH  
 (g<sub>pl</sub> = 17 kN/m<sup>2</sup>)

KAP EN ZOLDER

19226  
 18-7-2019  
 JV.




VERDIEPINGSVLOER  
 BREEDPLAAT VLOER  
 cl = 230 C20/25

19226  
 18-7-2019  
 JV

POER B:  
 1000 x 1000 x 250  
 WAP. #  $\Phi 8$  - 150


POER C:  
 1200 x 1200 x 250  
 WAP. #  $\Phi 10$  - 150



BEGANE GROND VLOER

FUNDERING d=250 WAP. #  $\Phi 8$  - 150


19226  
 10-7-2019  
 JV.



INDIEN DAKRAND  
 $h > 160$  \*  
 2x NA 150 x 60


BIJGEBOUW

- \* 200 x 200
- \*\* 150 x 200



GORDINGEN  
 70 x 195  
 h.o.h. max 1800

GORDINGEN  
 140 x 170  
 h.o.h. max 1200  
 DAK BESCHOT / PLANKEN  
 MINIMAAL  $e = 38$  mm.



BEGANE GROND VLOER

FUNDERING.

$d_i = 250$  WAP. #  $\Phi 8-150$

POER A :  $600 \times 600 \times 250$   
WAP. #  $\Phi 8-150$

19226  
18-7-2019  
JV